In the Claims:

Please amend claims 3, 6-11, 18-19, 33, 41-42, 47-53 and cancel claims 20-27, 30, 34-38, 43-44 as follows:

- 1. (original) A calcium salt of rabeprazole.
- 2. (original) The salt of claim 1, which is rabeprazole hemicalcium.
- 3. (currently amended) The sait of claim 1 or 2, which is in a crystalline form.
- 4. (original) The salt of claim 3, which is an alcohol solvate.
- 5. (original) The salt of claim 4, which is a methanol solvate.
- 6. (currently amended) The salt of claim 1 or 2, which is in a substantially amorphous form.
- 7. (currently amended) The salt of claim 1 or 2, which is hydrated.
- 8. (currently amended) The <u>salt erystalline form of rabeprazole calcium</u> of claim 3, wherein the rabeprazole calcium has the X-ray diffraction pattern of Figure 1.
- 9. (currently amended) The <u>salt erystalline form of rabeprazole calcium</u> of claim 3, wherein the rabeprazole calcium has the infrared spectrum of Figure 2.
- 10. (currently amended) The <u>salt amorphous form of rabeprazole calcium</u> of claim 6, wherein the rabeprazole calcium has the X-ray diffraction pattern of Figure 4.
- 11. (currently amended) The <u>salt amorphous form of rabeprazole calcium</u> of claim 6, wherein the rabeprazole calcium has the infrared spectrum of Figure 5.
- 12. (original) A pharmaceutical composition comprising:
- a therapeutically effective amount of rabeprazole calcium; and one or more pharmaceutically acceptable carriers, excipients or diluents.
- 13. (original) A process for the preparation of rabeprazole calcium, the process comprising:

contacting rabeprazole free base or rabeprazole sodium with a calcium salt of an acid in a suitable solvent; and

isolating the rabeprazole calcium from the solution thereof by the removal of the solvent.

- 14. (original) The process of claim 13, wherein the calcium salt of an acid is a salt of an inorganic acid.
- 15. (original) The process of claim 14, wherein the calcium salt comprises one or more of calcium chloride, calcium nitrate, calcium sulphate, calcium phosphate, calcium carbonate, and calcium dihydrogenphosphate.
- 16. (original) The process of claim 13, wherein the calcium salt of an acid is a salt of an organic acid.
- 17. (original) The process of claim 16, wherein the calcium salt comprises one or more of calcium oxalate, calcium acetate, calcium lactate, calcium succinate, calcium citrate, and calcium tartrate.
- 18. (currently amended) The process of <u>claim elaims</u> 13, wherein the solvent comprises one or more of water, lower alkanol, ketone, ester, ether, nitrile, hydrocarbon, dipolar aprotic solvent, or mixtures thereof.
- 19. (currently amended) The process of claim 18, wherein the the lower alkanol comprises one or more of primary, secondary and tertiary alcohol having from one to six carbon atoms.
- 20.-27. (cancelled)
- 28. (original) The process of claim 13, further comprising adding a base if rabeprazole free base is used as a starting material.
- 29. (original) The process of claim 28, wherein the base comprises one or more of an alkali metal hydroxide, alkali metal carbonate and alkali metal bicarbonate.
- 30. (cancelled)

- 31. (original) The process of claim 13, wherein the rabeprazole calcium precipitates out spontaneously from the solvent.
- 32. (original) The process of claim 13, wherein removing the solvent comprises one or more of filtration, filtration under vacuum, decantation, and centrifugation.
- 33. (currently amended) The process of claim 13, wherein one or more of rabeprazole hemicalcium, a crystalline form of rabeprazole calcium, an alcohol solvate, a substantially amorphous form of rabeprazole calcium, or a hydrate of rabeprazole calcium is isolated from the solution.

# 34.-38. (cancelled)

- 39. (original) The process of claim 13, further comprising additional drying of the product obtained.
- 40. (original) The process of claim 13, further comprising forming the product obtained into a finished dosage form.
- 41. (currently amended) The process of claim 13, wherein the rabeprazole calcium has the X-ray diffraction pattern of Figure 1 or Figure 4.
- 42 (currently amended) The process of claim 13, wherein the rabeprazole calcium has the infrared spectrum of Figure 2 or Figure 5.
- 43.-44. (cancelled)
- 45. (original) A method for treating or preventing gastrointestinal ulcers, which comprises administering to a patient in need thereof an effective amount of rabeprazole calcium.
- 46. (original) The method of claim 45, wherein the rabeprazole calcium is used for healing of erosive or ulcerative gastroesophageal reflux disease (GERD); maintenance of healing of erosive or ulcerative GERD; healing of duodenal ulcer; or treatment of pathological hypersecretory conditions, including Zollinger-Ellison Syndrome.
- 47. (currently amended) The method of claim 45, er 46; wherein the rabeprazole calcium is comprises rabeprazole hemicalcium.

- 48. (currently amended) A <u>The pharmaceutical composition of claim 12</u>, wherein the <u>pharmaceutical composition is intended</u> for use in the treatment or prevention of gastrointestinal ulcers <del>comprising an effective amount of rabeprazole calcium and pharmaceutically acceptable excipients</del>. (currently amended) The pharmaceutical composition of claim <u>12</u> 48, wherein the rabeprazole calcium is rabeprazole hemicalcium.
- 49. (currently amended) The pharmaceutical composition of claim 12 48, or 49, wherein a crystalline form of the rabeprazole calcium is used.
- 50. (currently amended) The pharmaceutical composition of claim 12 48, or 49, wherein an alcohol solvate of the rabeprazole calcium is used.
- 51. (currently amended) The pharmaceutical composition of claim 12 48, or 49, wherein a substantially amorphous form of the rabeprazole calcium is used.
- 52. (currently amended) The pharmaceutical composition of claim 12 48, or 49, wherein a hydrate of the rabeprazole calcium is used.